

Test report N°9594

Customer:

Adress:

Phone:

Fax:

Mail:

Boss order: 1016552

Date: 16-07-2021

The following samples were submitted and identified on behalf of the client as:

Test Sample: « Poudre de Nopal biologique »	Sampling date : -
Code : 416050721-1	Date of reception : 05-07-2021
Test item sampled by : Customer	Start test : 08-07-2021
Sampling location: -	Temperature of sample in reception: 24°C
Production date: 02/2021 Expiry Date: 02/2023	Conservation temperature: -
Other informations : Batch Number: PN012021	

Tests requested / standards:

Analytical parameters Searched	Test Methods	Results	Unit	Criteria
- Pesticide Residues (300 molecules) *	TS EN 15662	The list of active substances and the reporting limits are detailed in the annexed report N°42125326		-

*Test performed in a Lab partner from SGS Group
The results refer only to the objects subjected to test. The methods used are in their last applicable version. This document cannot be reproduced except in full, without prior approval of the Company.

Comments / conclusion : -

AGRI Service Manager
Mrs. Sameh Rezgui

Multi-Laboratory Administrator
Mrs. Imen Kahlaoui



The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted

*This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.*

PQ17F07



**TURKISH REPUBLIC MINISTRY OF AGRICULTURE AND FORESTRY
SGS İSTANBUL ANALYSIS LABORATORY
ANALYSIS REPORT**



Report No : 42125326

Date : 12.07.2021

Reason of Analysis : PRIVATE REQUEST

Sample sent by / Address :

Date and Number of Sampling Protocol : - / -

Sample's

Type : FRUIT AND VEGETABLE PRODUCTS (ORGANIC NOPAL POWDER)
Amount/Pieces : 518 g
Package : Nylon Package
Serial No / Lot No / Seal No : - / LOT:PN012021 / -
Producer-Firm Name / Code : - / -
Brand : -
Production and Expire Date : DF:02/2021 / DLC:02/2023
Location and Date of Sampling : - / -
Sample taken by : -

Sample Code Number : ITEM CODE:416050721-1/OTHER INFORMATION:COSTUMER:NOPAL

Date of Beginning and End of Analysis : 08.07.2021 / 12.07.2021

Delivery of sample / Date of receipt : by Cargo / 07.07.2021 18:05

Analyses	Result/Uncertainty	LOQ	Unit	Recovery	Analyses Method
Pesticide Residues (LC-MS/MS)(203 Active Substance) ¹	Not Detected		mg/kg		TS EN 15662
Pesticide Residues (GC-MS/MS)(100 Active Substance) ¹	Not Detected		mg/kg		TS EN 15662

LC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

Analyses	Result/Uncertainty	LOQ	Unit	Recovery	Analyses Method		
Acephate	0.01	Acetamidiprid	0.01	Acetochlor	0.01	Alachlor	0.01
Aldicarb	0.01	Aldicarb, aldicarbsulfoxide ve aldicarbsulfone toplamı; aldicarb cinsinden)	0.010	Aldicarb-Sulfone	0.01	Aldicarb-Sulfoxide	0.01
Amidosulfuron	0.01	Atrazine	0.01	Atrazine,Desethyl-	0.01	Atrazine,Desisopropyl-	0.01
Azinphos-ethyl	0.01	Azinphos-methyl	0.01	Azoxystrobin	0.01	Beflubutamid	0.01
Benalaxyl	0.01	Benfuracarb	0.01	Bitertanol	0.01	Boscalid	0.01
Bromoxynil	0.01	Bupirimate	0.01	Buprofezin	0.01	Butralin	0.01
Cadusafos	0.01	Carbaryl	0.01	Carbendazim and benomyl (benomyl ve carbendazim toplamı carbendazim cinsinden)	0.01	Carbofuran	0.01
Carbofuran (carbofuran (carbosulfan, benfuracarb veya furathiocarb dan üretilen tüm carbofuran) ve 3-OH carbofuran toplamı carbofuran cinsinden)	0.010	Carbofuran-3-hydroxy	0.01	Carbosulfan	0.01	Carboxin	0.01
Carfentrazone-ethyl	0.01	Chlorfenvinphos	0.01	Chloridazon	0.01	Chlorpropham	0.01
Chlorsulfuron	0.01	Chlorthiamid	0.01	Clethodim	0.01	Clethodim (parçalama ürünleri dahil sethoxydim ve clethodim toplamı;sethoxydim cinsinden)	0.010
Clodinafop-propargyl	0.01	Clofentezine	0.01	Clothianidin	0.01	Cyanazine	0.01
Cycloate	0.01	Cymoxanil	0.01	Cyproconazole	0.01	Cyprodinil	0.01
Dazomet	0.01	Demeton-S-methyl	0.01	Demeton-S-methyl sulfone	0.01	Demeton-S-methyl/demeton-S-methyl sulfone/Demeton-S-methyl sulfoxide (tek başına veya birlikte demeton-S-methyl olarak ifade edilir)	0.010
Demeton-S-methyl-sulfoxide	0.01	Desmedipham	0.01	Diazinon	0.01	Dichlorvos	0.01
Diclobutrazol	0.01	Diethofencarb	0.01	Difenoconazole	0.01	Diffubenzuron	0.01
Diflufenican	0.01	Dimethachlor	0.01	Dimethenamid	0.01	Dimethoate	0.01
Dimethoate (dimethoate ve omethoate toplamı dimethoate cinsinden)	0.010	Dimethomorph	0.01	Diphenamid	0.01	Disulfoton-sulfone	0.01
Disulfoton-sulfoxide	0.01	Diuron	0.01	DNOC	0.01	Dodine	0.01

Note: It has been signed with electronic signature pursuant to Electronic Signature Law No. 5070.

E-sign confirmation link: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=fbe8ef60-bbc4-4ed9-abd2-fb246f2b1ff640>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Analyses	Result/Uncertainty	LOQ	Unit	Recovery	Analyses Method		
Epoxiconazole	0.01	Ethofumasate	0.01	Ethoprophos	0.01	Etofenprox	0.01
Etoxadole	0.01	Famoxadone	0.01	Fenamidone	0.01	Fenamiphos	0.01
Fenarimol	0.01	Fenazaquin	0.01	Fenazox	0.01	Fenbuconazole	0.01
Fenhexamid	0.01	Fenoxaprop-P-ethyl	0.01	Fenoxycarb	0.01	Fenpropidin	0.01
Fenpyroximate	0.01	Fenthion	0.01	Fenthion (fenthion ve oksijen analogu, bunların sulfoxide ve sulfone formları toplamı)	0.010	Fenthion-sulfoxide	0.01
Fipronil	0.01	Fipronil (fipronil + sulfone metabolite toplamı fipronil cinsinden)	0.010	Fiampropisopropyl	0.01	Fluazifop-P-butyl	0.01
Fluazinam	0.01	Fludioxonil	0.01	Flufenoxuron	0.01	Fluquinconazole	0.01
Flusilazole	0.01	Flutolanil	0.01	Furathiocarb	0.01	Halfenprox	0.01
Haloxyfop (Haloxyfop, esterleri, tuzları ve konjügelere toplamı haloxyfop cinsinden (Herhangi bir oranda R- and S- isomerler toplamı)	0.010	Haloxyfop-2-ethoxyethyl	0.01	Haloxyfop-methyl	0.01	Hexythiazox	0.01
Imazaill	0.01	Imidacloprid	0.01	Indoxacarb	0.01	Iodosulfuron-methyl	0.01
Iprovalicarb	0.01	Isoproturon	0.01	Isoxalutole	0.01	Kresoxim-methyl	0.01
Linuron	0.01	Lufenuron	0.01	Malaoxon (Malathion-o-analog)	0.01	Malathion	0.01
Malathion (malathion ve malaaxon toplamı malathion cinsinden)	0.010	Metamitron	0.01	Metazachlor	0.01	Metconazole	0.01
Methabenzthiazuron	0.01	Methamidophos	0.01	Methiocarb	0.01	Methiocarb (methiocarb ve methiocarb sulfoxide ve sulfone toplamı; methiocarb cinsinden)	0.010
Methiocarb-sulfone	0.01	Methiocarb-sulfoxide	0.01	Methomyl	0.01	Methomyl and Thiodicarb (methomyl ve thiodicarb toplamı methomyl cinsinden)	0.010
Methoxyfenozide	0.01	Metolachlor	0.01	Metrafenone	0.01	Metribuzin	0.01
Metsulfuron-methyl	0.01	Mevinphos	0.01	Molinate	0.01	Monocrotophos	0.01
Myclobutanil	0.01	Nicosulfuron	0.01	Novaluron	0.01	Omethoate	0.01
Oxadiazon	0.01	Oxamyl	0.01	Paclbutrazol	0.01	Paraoxon-ethyl	0.01
Paraoxon-methyl	0.01	Penconazole	0.01	Pencycuron	0.01	Pendimethalin	0.01
Phenmedipham	0.01	Phenthoate	0.01	Phorate-sulfone	0.01	Phosalone	0.01
Phosphamidon	0.01	Picolinafen	0.01	Pirimicarb	0.01	Pirimicarb (pirimicarb ve desmethylpirimicarb toplamı; pirimicarb cinsinden)	0.010
Pirimicarb-desmethyl	0.01	Pirimicarb-desmethyl-formamido	0.01	Pirimiphos methyl	0.01	Prochloraz	0.01
Profenofos	0.01	Prometryne	0.01	Propamocarb	0.01	Propargite	0.01
Propazine	0.01	Propiconazole	0.01	Propoxur	0.01	Propoxycarbazon	0.01
Propyzamide	0.01	Prosulfocarb	0.01	Prosulfuron	0.01	Prothiofos	0.01
Pymetrozine	0.01	Pyraclostrobin	0.01	Pyraflufen-ethyl	0.01	Pyrazophos	0.01
Pyridaben	0.01	Pyridate	0.01	Pyrimethanil	0.01	Pyrimidifen	0.01
Pyriproxyfen	0.01	Quinalphos	0.01	Quinoxifen	0.01	Quizalofop-ethyl	0.01
Resmethrin	0.01	Rimsulfuron	0.01	Sebuthylazine	0.01	Sethoxydim	0.01
Simazine	0.01	Spinosad	0.01	Spirodiclofen	0.01	Spiroxamine	0.01
Tebuconazole	0.01	Tebufenozide	0.01	Tebufenpyrad	0.01	Teflubenzuron	0.01
Terbuthylazine	0.01	Terbutryn	0.01	Tetrachlorvinphos	0.01	Tetraconazole	0.01
Thiabendazole	0.01	Thiamethoxam	0.01	Thiamethoxam (thiamethoxam ve clothianidin toplamı; thiamethoxam cinsinden)	0.010	Thiobencarb (Benthiocarb)	0.01
Thiodicarb	0.01	Thiophanate-methyl	0.01	Triadimefon	0.01	Triadimefon and triadimenol (triadimefon ve triadimenol toplamı)	0.010
Triadimenol	0.01	Triazophos	0.01	Tribenuron-methyl	0.01	Trichlorfon	0.01
Vamidation	0.01						

GC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

Aclonifen	0.01	Acrinathrin	0.01	Aldrin	0.01	Aldrin ve Dieldrin (aldrin ve dieldrin kombinasyonu; dieldrin cinsinden)	0.010
Benfluralin	0.01	Bifenthrin	0.01	Binapacryl	0.01	Bromophos-ethyl	0.01
Bromopropylate	0.01	Bromuconazole (diastereoisomerler toplamı)	0.01	Butylate	0.01	Captan	0.01
Captan ve THPI, captan cinsinden	0.010	Chinomethionat (Quinomethionate)	0.01	Chlorbenseide	0.01	Chlordane-cis	0.01
Chlordane-trans	0.01	Chlorfenapyr	0.01	Chlorbenzilate	0.01	Chloroneb	0.01
Chloropropylate	0.01	Chlorothalonil	0.01	Chlorpyrifos	0.01	Chlorpyrifos-methyl	0.01
Chlorthal-dimethyl	0.01	Cinidon-ethyl	0.01	Cyfluthrin	0.01	Cyhalofop-butyl	0.01
Cyhalothrin I (γ)	0.01	Cyhalothrin II (λ)	0.01	Cypermethrin	0.01	DDD-o,p'	0.01
DDD-p,p'	0.01	DDE-o,p'	0.01	DDE-p,p'	0.01	DDT (p,p'-DDT, o,p'-DDT, p,p'-DDE ve p,p'-TDE (DDD) toplamı; DDT cinsinden)	0.010
DDT-o,p'	0.01	DDT-p,p'	0.01	Deltamethrin	0.01	Di-allate	0.01
Dichlobenil	0.01	Diclofop-methyl	0.01	Dicofol-p,p'	0.01	Dieldrin	0.01
Dimethipin	0.01	Diniconazole	0.01	Diphenylamine	0.01	Disulfoton	0.01
Disulfoton (disulfoton, disulfoton sulfoxide ve disulfoton sulfone toplamı; disulfoton cinsinden)	0.010	Endosulfan (alpha- ve beta-izomerler ve endosulfan-sulphate toplamı endosulfan cinsinden)	0.010	Endosulfan (-alpha)	0.01	Endosulfan (-beta)	0.01
Endosulfan sulphate	0.01	Endrin	0.01	Esfenvalerate	0.01	Etaconazol (izomerler toplamı)	0.010
Etaconazole I	0.01	Etaconazole II	0.01	Ethalfuralin	0.01	Etridiazole	0.01

Note: It has been signed with electronic signature pursuant to Electronic Signature Law No. 5070.

E-sign confirmation link: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=fbe8ef60-bbc4-4ed9-abd2-fb246f2b1ff640>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Report No : 42125326

Date : 12.07.2021

Analyses	Result/Uncertainty	LOQ	Unit	Recovery	Analyses Method		
Fenproprathrin	0.01	Fenvalerate (esfenvalerate içeren bileşen izomerlerin (RR, SS, RS & SR) herbir oranı)	0.010	Fenvalerate	0.01	Flucythrinate	0.01
Flumioxazine	0.01	Flurochloridone	0.01	Fluvalinate-tau (izomerler toplamı)	0.010	Fluvalinate-tau-I	0.01
Fluvalinate-tau-II	0.01	Folpet	0.01	Formothion	0.01	HCH (Hexachlorociclohexane) (gamma izomeri hariç, alpha-beta-delta izomerleri toplamı)	0.01
HCH-alpha isomer	0.01	HCH-beta isomer	0.01	HCH-delta isomer	0.01	Heptachlor	0.01
Heptachlor (heptachlor ve heptachlor epoxide toplamı; heptachlor cinsinden)	0.010	Heptachlor endo-epoxide	0.01	Heptachlor exo-epoxide	0.01	Hexachlorobenzene	0.01
Hexaconazole	0.01	Iprodione	0.01	Lindane	0.01	Metalaxyl-M	0.01
Methacrifos	0.01	Methoxychlor	0.01	Monolinuron	0.01	Nitrofen	0.01
Nitrothal-isopropyl	0.01	Oxyfluorfen	0.01	Parathion-ethyl	0.01	Parathion-methyl	0.01
Pentachloroaniline	0.01	Permethrin (izomerler toplamı)	0.010	Permethrin- cis	0.01	Permethrin-trans	0.01
Phorate	0.01	Phorate (phorate, oxygen analogue x ve bunların sulfones toplamı, phorate cinsinden)	0.010	Phosmet	0.01	Procymidone	0.01
Propanil	0.01	Quintozone	0.01	Quintozone (quintozone ve pentachloro-aniline toplamı, quintozone cinsinden)	0.010	Spiromesifen	0.01
Tecnazene	0.01	Tefluthrin,cis-	0.01	Tetradifon	0.01	Tetrahydrophatamide (THPI)	0.010
Thiometon	0.01	Tolclofos-methyl	0.01	Tolyfluanid	0.01	Tri-allate	0.01
Trifluralin	0.01	Vinclozolin	0.01				

Above-mentioned values have been determined from examinations and analysis.

SGS Istanbul Food Control Laboratory is accredited by TÜRKAK under registration number AB-0726-T for TS EN ISO/IEC 17025:2017 as test laboratory. No activity is performed at sites away from permanent facility, in associated temporary or mobile facilities or at a customer's facility.

Notes

- This report shall not be used in the executive-judicial processes and for advertising purposes. No copy or no publish without permission. The reports without signature and seal are invalid.
- This report with all parts is a whole, no part of this report can be used separately.
- Results of analysis solely belong to sample mentioned above. Sampling is not performed by laboratory, representation responsibility of the sample is not undertaken.
- All necessary sample information is transmitted by the client. Responsibility of losses/legal obligations that may arise due to the accuracy and use of this information is not undertaken.
- LOQ: Limit Of Quantitation

Description

¹:This analyze covered by accreditation.

Sample Admission and Reporting Department Team Leader
Chemical Engineer
YÜCEL ÜNVER

 e-imzalıdır


Chemistry Lab Team Leader (D.)
Chemist
ÖĞÜZ BALTACI

 e-imzalıdır


12.07.2021
Approved by
Lab Manager
M.Sc. Chemist
MUHAMMET BURAK

 e-imzalıdır


Note: It has been signed with electronic signature pursuant to Electronic Signature Law No. 5070.

E-sign confirmation link: <https://trilms.sgs.com/Eimza/EimzaKontrol.aspx?ID=fbe8ef60-bbc4-4ed9-abd2-fb246f2b1ff640>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.